

Table 6.16
Cancer of the Colon and Rectum (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Survival Time																						
1-year	74.6	78.7	81.6	82.9	83.1	82.6	81.3	82.4	81.5	83.1	81.7	82.6	83.8	84.1	85.5	83.6	83.6	84.9	85.1	85.1	85.8	86.6
2-year	63.5	67.7	72.8	74.0	74.6	73.8	72.7	73.4	73.0	75.3	74.1	74.9	75.5	76.7	77.8	76.9	76.5	78.3	78.1	78.5	78.6	
3-year	56.6	60.9	67.1	69.0	68.7	67.8	67.4	68.5	67.2	70.0	68.5	69.1	70.8	72.3	73.0	72.2	71.4	72.9	73.4	73.1		
4-year	52.4	56.5	62.7	64.2	64.5	63.6	62.9	63.5	63.3	65.5	65.5	65.5	67.7	69.1	70.1	68.9	68.1	69.3	69.0			
5-year	49.6	53.5	60.0	61.1	61.6	61.0	59.7	59.9	60.2	62.6	62.6	62.6	65.1	66.4	67.5	65.9	65.6	66.4				
6-year	47.4	51.3	58.0	59.3	58.9	59.4	58.2	58.0	57.5	61.1	60.6	60.4	63.9	64.1	65.2	63.7	63.2					
7-year	46.1	49.7	56.4	57.1	57.0	57.8	56.5	56.5	55.9	59.8	59.9	58.9	62.7	62.2	63.2	61.9						
8-year	45.0	48.6	55.4	55.6	55.6	56.0	55.6	54.9	55.3	59.5	58.5	57.6	61.4	60.3	62.4							
9-year	44.3	47.7	54.4	55.1	54.6	55.1	54.2	54.3	54.8	59.0	57.5	56.4	60.2	59.8								
10-year	43.5	46.9	53.8	54.4	53.8	54.5	53.2	53.0	54.2	58.1	56.9	55.7	59.4									
11-year	43.0	46.2	53.3	53.9	53.8	53.8	51.9	52.9	53.3	57.3	56.0	54.8										
12-year	42.4	45.7	52.7	53.4	53.7	53.8	51.4	51.9	52.4	57.1	55.8											
13-year	41.9	45.5	52.1	52.9	53.3	53.1	50.3	51.5	52.0	56.7												
14-year	41.2	44.8	52.0	52.4	52.2	52.5	49.9	51.1	51.1													
15-year	41.0	44.6	51.4	51.7	51.8	52.4	49.0	50.6														
16-year	40.5	44.5	51.2	51.7	51.8	52.4	49.0															
17-year	40.1	43.8	50.7	51.6	50.8	52.4																
18-year	39.7	43.5	50.4	50.8	50.0																	
19-year	39.6	43.2	50.1	50.8																		
20-year	39.4	42.7	49.6																			

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).